



Chicago Metallic

Commercial & Foodservice Bakeware

A BUNNY BAKING SOLUTION

Stock Catalog

Look for our
**50+ NEW
PRODUCTS**
highlighted in gold!

Table of Contents



Company

The Chicago Metallic Story..... 4

The Bundy Baking
Solutions CREED 5

AMERICOAT® ePlus Glaze 6

Custom Pan Manufacturing 7

Products

Sheet Pans..... 8-12

Cupcake & Muffin Pans 13-19

Bun & Roll Pans 20-21

Bread & Baguette Pans 22-25

Specialty Bread Pans 26-27

Pizza Pans 28-34

Egg Pans 35

Cake & Pie Pans 36-39

USA PAN® Bakeware..... 40-42

Racks & Accessories..... 43-45

Product Index 46-47





LEARN
MORE



Scan the QR codes throughout this catalog with your mobile device camera to learn more about Chicago Metallic products and services.

Discover the benefits of our EXACT STACK® Pizza Pans—featured on page 29 of this catalog—or scan the QR code above.



The Chicago Metallic Story



For more than 120 years, the Chicago Metallic name has been synonymous with innovative products, superior quality, and exceptional service. Today, we manufacture more than 300 different baking pans and ship to customers worldwide—typically within 48 hours.



Quality

- **Biggest Inventory:** We maintain the world's largest inventory, so you can get the products you need without delay.
- **Best Glaze Coating:** Our proprietary AMERICOAT® ePlus silicone glaze offers up to 30% more releases than other silicone glazes.
- **Superior Performance:** Our products provide unmatched durability and strength, and we continually innovate to make them safer, more sanitary, and environmentally sound.



Expertise

- **Deep Experience:** We began creating quality bakeware in 1898—and have continually innovated and enhanced for more than a century.
- **Focus-Driven:** Our team is focused on providing unmatched quality control to give you the high-quality products you expect every time.
- **Custom Solutions:** Need something unique? We'll create custom pans to meet your exact specifications and supply chain needs.



Service

- **Delivery on Demand:** We stock vast inventory, so most orders ship within 24 to 48 hours.
- **Outstanding Service:** Chicago Metallic is a family-owned company, and our deep passion for the baking industry is matched only by our commitment to exceptional service.
- **Guaranteed Satisfaction:** In addition to the confidence of working with the world's largest baking pan manufacturer, you can enjoy the peace of mind that comes with knowing your satisfaction is 100% guaranteed.



Made in the USA

All Chicago Metallic pans are manufactured in the United States with global materials.

The Bundy Baking Solutions CREED



It is our mission to be the most trusted supplier of essential equipment, bakeware, coatings, and services to bakers around the world. We will achieve this by living out our CREED, a commitment to ourselves and to the industries we serve.



- **Commitment:** We are committed to making products that our customers need at a level of quality and value they deserve. We want to make a positive difference in the operations of our customers.
- **Respect:** We respect our customers and are grateful for the opportunities given to us. Each customer is different and we work to earn their support.
- **Family Environment:** We are a family business and believe in the value of relationships. We make a genuine effort to know our customers and the challenges they face so that we can come together as a team.
- **Excellence:** We are driven to constantly move forward and pursue excellence every day. We believe that what our customers do is important and what we do is important; therefore, it is important to always do it right.
- **Personal Development:** We constantly develop our people and our processes to be the best at what we do and provide the best products to our customers.



American Pan®

Industrial Baking Pans & Coatings

Brazil | Germany | Romania | Spain | UK | USA



AccuSpray

Spraying Technology

USA



Chicago Metallic

Commercial & Foodservice Bakeware

Canada | USA



DuraShield®

Non-Stick Coatings

USA



Pan Glo®

Pan Cleaning & Recoating

Canada | Colombia | Mexico | UK | USA



Runex

Baking Equipment & Coatings

Sweden



Synova

Release Agents

USA



Turbel

Baking Pans & Coatings

Turkey

AMERICOAT® ePlus Glaze



Coating Definitions

All products in our catalog include information about the type of coating that is applied to that particular product. See the table below for definitions of the coating terms we use.

Coating	Definition
Plain	No coating
Glazed	AMERICOAT® ePlus silicone coating
Pre-Seasoned	BÄKALON pan material with AMERICOAT® ePlus silicone coating
Black, Blue, Gold, Green, Orange, Red, Silver	Color anodized
Non-Stick Black	Nordic Ware® silicone coating


AMERICOAT® ePlus silicone release coating is the industry’s leading silicone coating technology used on all Chicago Metallic glazed pans. AMERICOAT® ePlus is a clear glaze that reduces the need for secondary release agents such as oil, silicone, or paper by up to 50% and offers long-lasting performance with approximately 300 to 600 releases* achieved before recoating is required.

Safe for Food Contact

AMERICOAT® is a silicon-based, non-stick, and non-toxic coating that is responsibly manufactured and derived from naturally occurring minerals. AMERICOAT® complies with all relevant FDA, EU, and other known regulations for food contact.

Save Money with Pan Refurbishment

Even with proper care and cleaning, your pans will eventually need to be refurbished. That is why, through our sister company, Pan Glo®, we offer The Pan Glo® Process. Every year, millions of baking pans of every shape, size, brand, and configuration are processed by Pan Glo® plants around the world. These cleaned and freshly reglazed pans are returned to productivity with improved release characteristics, time and time again. Refurbishment costs less than purchasing new pans and saves money due to the decreased need for release agents.



We have 18 facilities across North America to better serve your straightening, cleaning, and coating needs. For more information, please call 800.652.2151 (USA), 800.265.8445, ext. 239 (Canada), or +52 728 285 3802 (Mexico), or visit panglo.com.

*Note that this is an approximate number and may not be the exact number of releases achieved.



LEARN
MORE

Custom Pan Manufacturing



Need custom pan sizes, mould designs, or configurations?
Chicago Metallic can design a pan to meet your specific baking needs.
Minimum order quantities are as low as 250 on most pans (500 for individual bread pans and 200 for bread sets). Contact us for more information.

REQUEST
A QUOTE



Customized Solutions

- **Sizes & Arrangements:** Customize your overall pan size, mould arrangements, and dimensions.
- **Mould Designs:** Create unique mould designs for signature products.
- **Materials:** Build your pan from strong and durable materials such as aluminum, aluminized steel, stainless steel, anodized aluminum, etc.
- **Pan Strengthening Options:** Enhance the strength of your pan with structural ribs, large-radius corners, and more.
- **Coatings:** Select plain/uncoated pans or pans coated with our proprietary AMERICOAT® ePlus glaze.

Pan Use & Care

The top three things to know about caring for your Chicago Metallic glazed pans:

- De-pan products quickly.
- Hand-wash only.
- Do not use metal utensils.

For complete pan use and care guidelines for any of our pan types, visit useandcare.cmbakeware.com. Printed Use & Care cards are included in all factory shipments and are available upon request.



Sheet Pans



NSF StayFlat® Sheet Pans Aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
30694	★	Plain	16 gauge, band in rim, NSF-certified	4.0	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1
Half-Size					
30850	★	Plain	18 gauge, band in rim, NSF-certified	1.9	12 ¹³ / ₁₆ x 17 ¹³ / ₁₆ x 1
Third-Size					
45052	★	Plain	16 gauge, sanitary open bead, semi-curled rim, NSF-certified	1.1	9 ⁵ / ₁₆ x 17 ³ / ₄ x 1

4069XS

StayFlat® Full-Size Sheet Pan Identification Guide

Our item number stamping system allows for easy reordering of any of our StayFlat® full-size sheet pans. Check the back of your sheet pan for one of these numbers and then choose the appropriate item number based on your preferred coating option.

Stamp #	Items with this Stamp	Stamp #	Items with this Stamp
4069XS	StayFlat® 40694 / 40698	4080XS	StayFlat® 40804 / 40808
4096XS	StayFlat® 40960 / 40965	4469XS	StayFlat® 44693 / 44694
4469XS	StayFlat® 44699 / 44690	4489XS	StayFlat® 44891 / 44896

Sheet Pan Size Reference



StayFlat® Full-Size Sheet Pans[†] Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
40694	★	Plain	16 gauge, wire in rim	4.0	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40698	★	Glazed	16 gauge, wire in rim	4.0	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40760	★	Plain	16 gauge, stainless steel wire in rim	4.1	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40769	★	Glazed	16 gauge, stainless steel wire in rim	4.1	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40804	★	Plain	18 gauge, wire in rim	3.8	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40807	★	Plain	18 gauge, aluminum wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40808	★	Glazed	18 gauge, wire in rim	3.8	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40812	★	Plain	18 gauge, stainless steel wire in rim	3.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40814	★	Glazed	18 gauge, stainless steel wire in rim	3.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40817	★	Glazed	18 gauge, aluminum wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40860	★	Plain	16 gauge, aluminum wire in rim	3.1	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40868	★	Glazed	16 gauge, aluminum wire in rim	3.1	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40960	★	Plain	14 gauge, sanitary open bead, semi-curved rim	3.2	17 ⁷ / ₈ x 25 ⁷ / ₈ x 1 ¹ / ₁₆
40965	★	Glazed	14 gauge, sanitary open bead, semi-curved rim	3.2	17 ⁷ / ₈ x 25 ⁷ / ₈ x 1 ¹ / ₁₆
44699	★	Plain	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44690	★	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44891	★	Plain	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44896	★	Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44693	★	Plain	16 gauge hardcoat anodized aluminum, aluminum wire in rim, BAKALON	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
44694	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, aluminum wire in rim, BAKALON	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆

[†]StayFlat® U.S. Patent No. 9,737,171.


StayFlat® Sheet Pans

StayFlat® Sheet Pans feature sidewalls that are continuously reinforced with a horizontal engineered rib. This feature increases sidewall strength up to 30% and provides an easy visual identification for situations where stronger, flatter sheet pans are required.

In addition, we also offer the world's first sheet pans to have the strength of a completely enclosed pan rim and to be certified by NSF International.



DISCOVER
THE BENEFITS





Sheet Pans



Standard Sheet Pans Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
40600	★	Plain	12 gauge, sanitary open bead, semi-curved rim	4.3	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ⁵ / ₁₆
40605	★	Glazed	12 gauge, sanitary open bead, semi-curved rim	4.3	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ⁵ / ₁₆
41031	★	Glazed	22 gauge aluminized steel, band in rim	7.2	17 ³ / ₄ x 25 ³ / ₄ x 1
41555	★	Glazed	22 gauge aluminized steel, wire in rim	5.6	17 ¹¹ / ₁₆ x 25 ¹¹ / ₁₆ x 1 ³ / ₃₂
40700	★	Plain	20 gauge stainless steel (304), sanitary open bead, semi-curved rim	5.4	17 ⁷ / ₈ x 25 ⁷ / ₈ x 1
Three-Quarter-Size					
41500	★	Plain	18 gauge, wire in rim	2.6	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
41505	★	Glazed	18 gauge, wire in rim	2.6	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
10317	★	Glazed	22 gauge aluminized steel, wire in rim	4.5	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
Half-Size					
40850	★	Plain	18 gauge, wire in rim	2.1	12 ⁷ / ₈ x 17 ³ / ₄ x 3 ¹ / ₃₂
40852	★	Plain	18 gauge, aluminum wire in rim	2.1	12 ⁷ / ₈ x 17 ³ / ₄ x 3 ¹ / ₃₂
40855	★	Glazed	18 gauge, wire in rim	2.1	12 ⁷ / ₈ x 17 ³ / ₄ x 3 ¹ / ₃₂
40859	★	Glazed	18 gauge, aluminum wire in rim	2.1	12 ⁷ / ₈ x 17 ³ / ₄ x 3 ¹ / ₃₂
40950	★	Plain	14 gauge, sanitary open bead, semi-curved rim	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40955	★	Glazed	14 gauge, sanitary open bead, semi-curved rim	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40952	★	Plain	14 gauge hardcoat anodized aluminum, open/semi-curved rim, BĀKALON	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40954	★	Pre-Seasoned	14 gauge hardcoat anodized aluminum, open/semi-curved rim, BĀKALON	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
Quarter-Size					
40450	★	Plain	16 gauge, curled rim, no wire	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
40455	★	Glazed	16 gauge, curled rim, no wire	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
40452	★	Plain	16 gauge hardcoat anodized aluminum, curled rim, no wire, BĀKALON	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
40454	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, curled rim, no wire, BĀKALON	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
Eighth-Size					
41800	★	Plain	16 gauge, curled rim, no wire	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂
41805	★	Glazed	16 gauge, curled rim, no wire	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂
41852	★	Plain	16 gauge hardcoat anodized aluminum, curled rim, no wire, BĀKALON	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂
41854	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, curled rim, no wire, BĀKALON	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂



Custom Wire Options for Sheet Pans

Chicago Metallic offers the exclusive ability to customize our solid or perforated sheet pans with aluminum or stainless steel wire options. By having your pans manufactured with aluminum or stainless steel wires, you are eliminating the potential for corrosion within sheet pan rims, a major health and foodservice concern, as pan rim corrosion leads to food contamination and a reduction in the overall life of baking pans.

Display Pans Anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
40911	★	Green	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40912	★	Plain	16 gauge, non-textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40913	★	Blue	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40915*	★	Gold	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40916	★	Black	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40917	★	Silver	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40918	★	Red	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40919	★	Orange	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
Half-Long					
40921	★	Green	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40922	★	Plain	16 gauge, non-textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40923	★	Blue	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40925*	★	Gold	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40926	★	Black	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40927	★	Silver	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40928	★	Red	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40929	★	Orange	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
Half-Size					
40931	★	Green	16 gauge, textured, semi-closed rim, no wire	1.2	11 ⁵ / ₁₆ x 17 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40933	★	Blue	16 gauge, textured, semi-closed rim, no wire	1.2	11 ⁵ / ₁₆ x 17 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40935*	★	Gold	16 gauge, textured, semi-closed rim, no wire	1.2	11 ⁵ / ₁₆ x 17 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40936	★	Black	16 gauge, textured, semi-closed rim, no wire	1.2	11 ⁵ / ₁₆ x 17 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40938	★	Red	16 gauge, textured, semi-closed rim, no wire	1.2	11 ⁵ / ₁₆ x 17 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40939	★	Orange	16 gauge, textured, semi-closed rim, no wire	1.2	11 ⁵ / ₁₆ x 17 ¹⁵ / ₁₆ x 1 ³ / ₁₆
Quarter-Size					
40941	★	Green	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40943	★	Blue	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40945*	★	Gold	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40946	★	Black	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40947	★	Silver	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40948	★	Red	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40949	★	Orange	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆

*Due to the nature of color anodizing, batch-to-batch color variance may occur.

BÄKALON Diamond Grill Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
70821	★	Plain	12 gauge, textured	0.8	8 ⁵ / ₁₆ x 11 ⁹ / ₁₆ x 1 ³ / ₁₆
70824	★	Pre-Seasoned	12 gauge, textured	0.8	8 ⁵ / ₁₆ x 11 ⁹ / ₁₆ x 1 ³ / ₁₆



Sheet Pans



Baking Sheets/Bagel Screens Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size (Swedish Style, Unperforated Margins)					
44850	★	Glazed	12 gauge, hemmed sides, .081" diameter bottom perforation	3.0	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 2 ¹ / ₃₂
45135	★	Glazed	14 gauge, embossed side ribs, .094" diameter bottom perforation	2.3	18 x 25 ¹⁵ / ₁₆ x 5 ¹ / ₁₆
Full-Size (Cookie Sheet Style, Unperforated Margins with Seamless Corners)					
44801	★	Plain	16 gauge, .081" diameter bottom perforation, wire in rim	3.9	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 3 ¹ / ₁₆
44800	★	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	3.9	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 3 ¹ / ₁₆
44805	★	Glazed	16 gauge, .081" diameter bottom perforation, aluminum wire in rim	3.9	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 3 ¹ / ₁₆
Full-Size (StayFlat®)					
44699	★	Plain	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44690	★	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44891	★	Plain	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44896	★	Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
Full-Size					
44792	★	Glazed	16 gauge, .094" square perforation all over, stainless steel wire in rim	2.7	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
Three-Quarter-Size					
10248	★	Glazed	16 gauge, .094" square perforation all over, wire in rim	2.0	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
Half-Size					
40846	★	Glazed	16 gauge, .094" square perforation all over, wire in rim	1.3	12 ¹ / ₂ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40857	★	Plain	18 gauge, .081" diameter bottom perforation, wire in rim	1.9	12 ⁷ / ₈ x 17 ¹³ / ₁₆ x 3 ¹ / ₃₂
40851	★	Glazed	18 gauge, .081" diameter bottom perforation, wire in rim	1.9	12 ⁷ / ₈ x 17 ¹³ / ₁₆ x 3 ¹ / ₃₂
Non-Traditional Size					
70817	★	Plain	14 gauge, .063" diameter bottom perforation	1.5	12 ³ / ₄ x 18 ³ / ₈ x 1 ¹ / ₃
70817S	★	Glazed	14 gauge, .063" diameter bottom perforation	1.5	12 ³ / ₄ x 18 ³ / ₈ x 1 ¹ / ₃
70817B	★	Pre-Seasoned	14 gauge hardcoat anodized aluminum, .063" diameter bottom perforation, BAKALON	1.5	12 ³ / ₄ x 18 ³ / ₈ x 1 ¹ / ₃
71365	★	Plain	14 gauge, three sides at 90°, NSF-certified	2.5	16 x 18 x 1
71366	★	Plain	14 gauge, three sides at 90°, NSF-certified	2.5	14 x 16 x 1



Perforated Baking Pans

Perforated sheet pans enhance airflow during baking, making them especially ideal for convection ovens. They ensure even bakes, consistent results, and perfectly crispy textures in less time and are perfect for baking items such as fries, chicken fingers, pizza, bagels, and more!


Cupcake & Muffin Pans



Mini-Fluted Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
43055	★	Glazed	22 gauge, wire in rim	3 rows of 5	7.5	3 ¹⁵ / ₁₆	3	1 ¹¹ / ₁₆	4 ⁵ / ₈	4 ⁷ / ₈	9.6	17 ⁷ / ₈ x 25 ⁷ / ₈


*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.






Cupcake & Muffin Pans

Mini-Muffin Pans Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
45195	★	Glazed	22 gauge, square corners, wire in rim	5 rows of 6	1.1	1 $\frac{7}{8}$	1 $\frac{1}{4}$	$\frac{7}{8}$	2 $\frac{3}{4}$	2 $\frac{1}{4}$	4.5	12 $\frac{7}{8}$ x 17 $\frac{7}{8}$
45295	★	Glazed	22 gauge, wire in rim	6 rows of 8	1.1	1 $\frac{7}{8}$	1 $\frac{1}{4}$	$\frac{7}{8}$	2 $\frac{3}{4}$	2 $\frac{1}{4}$	8.5	17 $\frac{7}{8}$ x 25 $\frac{7}{8}$
45245	★	Glazed	26 gauge, wire in rim	4 rows of 6	2.1	2 $\frac{1}{16}$	1 $\frac{5}{8}$	1 $\frac{1}{8}$	2 $\frac{3}{4}$	2 $\frac{3}{4}$	4.0	12 $\frac{7}{8}$ x 17 $\frac{7}{8}$
45255	★	Glazed	26 gauge, wire in rim	6 rows of 8	2.1	2 $\frac{1}{16}$	1 $\frac{5}{8}$	1 $\frac{1}{8}$	2 $\frac{3}{4}$	2 $\frac{3}{4}$	7.3	17 $\frac{7}{8}$ x 25 $\frac{7}{8}$

Mini-Crown Muffin Pans Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
42754	★	Glazed	26 gauge, curled rim	3 rows of 4	3.0	2 $\frac{3}{4}$	1 $\frac{5}{8}$	1 $\frac{1}{8}$	3 $\frac{5}{16}$	3 $\frac{5}{16}$	2.0	10 $\frac{5}{8}$ x 13 $\frac{7}{8}$
42755	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 6	3.0	2 $\frac{3}{4}$	1 $\frac{5}{8}$	1 $\frac{1}{8}$	3 $\frac{5}{16}$	3 $\frac{5}{16}$	4.8	14 $\frac{1}{16}$ x 20 $\frac{1}{16}$
42756	★	Glazed	26 gauge, wire in rim	5 rows of 7	3.0	2 $\frac{3}{4}$	1 $\frac{5}{8}$	1 $\frac{1}{8}$	3 $\frac{5}{16}$	3 $\frac{5}{16}$	6.5	17 $\frac{7}{8}$ x 25 $\frac{7}{8}$

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.




Mini-Crown Muffin Pans

Mini-Crown Muffin Pans from Chicago Metallic provide bakers with a profitable and unique solution to meet the food industry's current health and convenience trends. The pans produce an appealing, cupcake-like crown, but use 20% less batter.

Cupcake Pans Aluminized steel (unless otherwise noted)

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
43030	★	Glazed	26 gauge, aluminum wire in rim	4 rows of 5	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	4	4 ⁵ / ₈	5.0	17 ⁷ / ₈ x 25 ⁷ / ₈
45125	★	Glazed	26 gauge, corrugated panel, curled rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.3	11 ¹ / ₈ x 15 ³ / ₄
45225	★	Glazed	26 gauge, wire in rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	4	4	3.8	12 ⁷ / ₈ x 17 ⁷ / ₈
45525	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 6	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	5.2	14 ¹ / ₁₆ x 20 ¹ / ₁₆
45575	★	Glazed	26 gauge, wire in rim	5 rows of 7	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	7.3	17 ⁷ / ₈ x 25 ⁷ / ₈
45605	★	Glazed	26 gauge, wire in rim	4 rows of 6	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	4	4	6.5	17 ⁷ / ₈ x 25 ⁷ / ₈
46120	★	Plain	20 gauge aluminum, square corners, wire in rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.0	10 ³ / ₄ x 14 ¹ / ₈
46125	★	Glazed	20 gauge aluminum, square corners, wire in rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.0	10 ³ / ₄ x 14 ¹ / ₈
46520	★	Plain	20 gauge aluminum, square corners, wire in rim	4 rows of 6	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	3.5	14 ¹ / ₈ x 20 ³ / ₄
46525	★	Glazed	20 gauge aluminum, square corners, wire in rim	4 rows of 6	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	3.5	14 ¹ / ₈ x 20 ³ / ₄




*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.






Cupcake & Muffin Pans

Specialty Dessert Pans Aluminized steel (unless otherwise noted)




Brownie Bite (pans do not nest)

42865	★	Glazed	26 gauge, wire in rim	8 rows of 6	2.2	1 ²¹ / ₃₂ x 1 ²¹ / ₃₂	1 ⁹ / ₁₆ x 1 ⁹ / ₁₆	1 ⁹ / ₃₂	2 ³ / ₈	2 ¹¹ / ₁₆	7.4	17 ⁷ / ₈ x 25 ⁷ / ₈
-------	---	--------	-----------------------	-------------	-----	---	---	--------------------------------	-------------------------------	---------------------------------	-----	---




Mary Ann/Strawberry Shortcake

43385	★	Glazed	26 gauge, wire in rim, indent size - 2" x 1 ¹ / ₂ " deep	3 rows of 4	6.0	3 ³ / ₈	3	1 ¹ / ₂	4	3 ¹⁵ / ₁₆	4.1	12 ⁷ / ₈ x 17 ⁷ / ₈
43395	★	Glazed	26 gauge, wire in rim, indent size - 2" x 1 ¹ / ₂ " deep	4 rows of 6	6.0	3 ³ / ₈	3	1 ¹ / ₂	3 ¹³ / ₁₆	3 ¹³ / ₁₆	7.5	17 ⁷ / ₈ x 25 ⁷ / ₈




Mini-Loaf

25100	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 2	5.1	3 ⁷ / ₈ x 2 ¹ / ₂	3 ³ / ₈ x 2	1 ¹ / ₄	3 ³ / ₈	4 ¹ / ₂	2.0	11 ¹ / ₈ x 15 ³ / ₄
45755	★	Glazed	26 gauge, square corners, wire in rim	2 rows of 6	6.4	3 ⁷ / ₈ x 2 ¹ / ₂	3 ¹ / ₂ x 2 ¹ / ₈	1 ⁵ / ₁₆	3 ³ / ₈	4 ¹ / ₂	3.8	9 ⁷ / ₈ x 19 ¹ / ₂
45725	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3 ⁷ / ₈ x 2 ¹ / ₂	3 ¹ / ₂ x 2 ¹ / ₈	1 ⁵ / ₁₆	3 ³ / ₈	4 ¹ / ₂	7.8	18 ⁷ / ₈ x 25 ⁷ / ₈
45727	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3 ⁷ / ₈ x 2 ¹ / ₂	3 ¹ / ₂ x 2 ¹ / ₈	1 ⁵ / ₁₆	3 ³ / ₈	4 ¹ / ₄	7.9	17 ⁷ / ₈ x 25 ⁷ / ₈



Square Muffin

46605	★	Glazed	20 gauge aluminum, square corners, wire in rim	4 rows of 6	4.4	2 ⁵ / ₈ x 2 ⁵ / ₈	2 x 2	1 ⁹ / ₁₆	3 ³ / ₈	3 ³ / ₄	3.8	14 ¹ / ₈ x 20 ³ / ₄
-------	---	--------	--	-------------	-----	---	-------	--------------------------------	-------------------------------	-------------------------------	-----	---




Mini-Star

43045	★	Glazed	22 gauge, square corners, wire in rim	3 rows of 4	6.0	4 ¹ / ₂	4 ³ / ₃₂	1	5 ¹ / ₂	5	8.4	17 ⁷ / ₈ x 25 ⁷ / ₈
-------	---	--------	---------------------------------------	-------------	-----	-------------------------------	--------------------------------	---	-------------------------------	---	-----	---

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.




Mini-Fluted Cake Pan




Item # 43055 (C)
Mini-Fluted Cake




Mini-Muffin, Mini-Crown Muffin, & Cupcake Pans




Item # 45195, 45295 (B)
Mini-Muffin



Item # 45245, 45255 (A)
Mini-Muffin




Item # 42754, 42755, 42756 (B)
Mini-Crown Muffin




Item # 43030, 45125, 45225, 45525, 45575, 45605, 46120, 46125, 46520, 46525 (A)
Cupcake




Specialty Dessert Pans




Item # 42865 (C)
Brownie Bite




Item # 43385, 43395 (C)
Mary Ann/Strawberry Shortcake




Item # 25100 (C)
Mini-Loaf



Item # 45755, 45725, 45727 (C)
Mini-Loaf




Item # 46605 (A)
Square Muffin



Item # 43045 (C)
Mini-Star




Cupcake & Muffin Pan Mould Profiles




(A)

Bell-Shaped Crown



(B)

Large Rounded Crown



(C)

Cake Top


Most Chicago Metallic cupcake and muffin pans produce a bell-shaped crown. Other moulds produce a rounded crown or a flatter, cake-like top. Each mould profile is marked with an (A), (B), or (C) to indicate its typical crown shape.

Please note that all dimensions are in inches.




Cupcake & Muffin Pans


Oversized Muffin Pans




Item # 43645, 45645 (A)
Large Muffin




Item # 43215, 45265 (A)
Texas Muffin




Item # 43515, 44515 (A)
Jumbo Muffin




Item # 43375, 45285 (A)
Jumbo Muffin




Item # 45445 (A)
Jumbo Muffin




Item # 43555, 44555 (B)
Large Crown Muffin




Item # 43025, 43026 (B)
Large Crown Muffin




Item # 45435 (B)
Large Crown Muffin




Item # 26500, 43695,
44705, 47005 (B)
Pecan Roll/Large Muffin



Item # 43037 (C)
Mini-Cake



Item # 44305, 44215, 45305 (C)
Mini-Cake



Item # 45355 (C)
Mini-Cake



Oversized Muffin Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out.(B)	Depth (C)	L	W		
Large Muffin												
43645	★	Glazed	26 gauge, wire in rim	3 rows of 4	5.0	3¼	2½	1¼	3⅝	3⅝	3.8	12⅞ x 17⅞
45645	★	Glazed	26 gauge, wire in rim	4 rows of 6	5.0	3¼	2½	1¼	3⅝	3⅝	7.0	17⅞ x 25⅞
Texas Muffin												
43215	★	Glazed	26 gauge, wire in rim	3 rows of 4	5.6	3⅜ ₁₆	2 ¹⁵ ₁₆	1¼	3⅝	3⅝	3.9	12⅞ x 17⅞
45265	🇨🇦	Glazed	26 gauge, wire in rim	4 rows of 6	5.6	3⅜ ₁₆	2 ¹⁵ ₁₆	1¼	3⅝	3⅝	7.2	17⅞ x 25⅞
Jumbo Muffin												
43515	★	Glazed	26 gauge, wire in rim	3 rows of 4	6.2	3½	3⅝	1¼	4⅞	4⅞	4.2	13½ x 17⅞
44515	★	Glazed	26 gauge, wire in rim	4 rows of 5	6.2	3½	3⅝	1¼	4⅞	4⅞	6.7	17⅞ x 25⅞
43375	★	Glazed	26 gauge, wire in rim	3 rows of 4	7.0	3⅜	3	1½	4	3 ¹⁵ ₁₆	4.0	12⅞ x 17⅞
45285	🇨🇦	Glazed	26 gauge, wire in rim	4 rows of 6	7.0	3⅜	3	1½	3⅞	4	7.5	17⅞ x 25⅞
45445	★	Glazed	26 gauge, wire in rim	4 rows of 6	7.0	3⅜	2 ¹⁵ ₁₆	1 ¹⁷ ₃₂	3 ²⁷ ₃₂	4	7.7	17⅞ x 25⅞
Large Crown Muffin												
43555	★	Glazed	26 gauge, wire in rim	3 rows of 4	7.3	3½	2¼ ₁₆	1 ¹⁵ ₁₆	4⅞	4⅞	4.2	13½ x 17⅞
44555	★	Glazed	26 gauge, wire in rim	4 rows of 5	7.3	3½	2¼ ₁₆	1 ¹⁵ ₁₆	4⅞	4⅞	6.8	17⅞ x 25⅞
43025	🇨🇦	Glazed	22 gauge, square corners, wire in rim	3 rows of 4	7.3	3⅝	2¼ ₁₆	1⅜	4	4	5.5	13½ x 17⅞
43026	🇨🇦	Glazed	22 gauge, wire in rim	4 rows of 6	7.3	3⅝	2¼ ₁₆	1⅜	4	4	9.8	17⅞ x 25⅞
45435	🇨🇦	Glazed	22 gauge, wire in rim	3 rows of 5	7.5	4⅞	2¼ ₁₆	1 ¹³ ₁₆	4⅝	4⅝	8.2	17⅞ x 25⅞
Pecan Roll/Large Muffin												
26500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	8.2	3¼ ₁₆	2½	1 ¹³ ₁₆	4¼	4¼	2.2	11⅞ x 15¾
43695	★	Glazed	26 gauge, wire in rim	3 rows of 4	8.2	3¼ ₁₆	2½	1 ¹³ ₁₆	4¼	4¼	4.2	13½ x 17⅞
44705	🇨🇦	Glazed	26 gauge, wire in rim	4 rows of 5	8.2	3¼ ₁₆	2½	1 ¹³ ₁₆	4¼	4¼	7.0	17⅞ x 25⅞
47005	★	Glazed	26 gauge, wire in rim	3 rows of 5	8.2	3¼ ₁₆	2½	1 ¹³ ₁₆	4¼	4¼	6.5	17⅞ x 25⅞
Mini-Cake												
43037	🇨🇦	Glazed	26 gauge, wire in rim	3 rows of 5	10.0	4⅞	3¼ ₁₆	1½	4⅝	4⅞	5.5	17⅞ x 25⅞
44305	★	Glazed	26 gauge, curled rim	2 rows of 3	10.5	4¼	3¾	1½	4⅞	5¾ ₁₆	2.0	11⅞ x 15¾
44215	★	Glazed	26 gauge, square corners, wire in rim	3 rows of 4	10.5	4¼	3¾	1½	4⅞	4⅞	5.0	15½ x 20½
45305	★	Glazed	26 gauge, wire in rim	3 rows of 5	10.5	4¼	3¾	1½	4 ²¹ ₃₂	4⅞	6.7	17⅞ x 25⅞
45355	★	Glazed	26 gauge, square corners, wire in rim	3 rows of 4	16.5	5¼	4¾	1⅜	5⅝	5¼ ₁₆	7.0	18 x 25⅞

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Large-Radius Corners

Most Chicago Metallic muffin pans feature an innovative large-radius, seamless corner design. This design significantly increases pan frame and corner strength, extends pan life, and makes pans safer, more sanitary, and easier to handle. These pans also nest and stack easily with older, small-radius corner pans.




Bun & Roll Pans




Hamburger Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Individual Moulds									
41002		Glazed	22 gauge, band in rim	3 rows of 5	4⅛	3¾	½	8.3	17¾ x 25¾ x 1½
41005		Glazed	22 gauge, band in rim	3 rows of 4	5	4¾	½	8.5	17¾ x 25¾ x 1½
41006		Glazed	22 gauge, band in rim	2 rows of 3	4⅛	3⅞	1⅛	5.3	12 x 17⅝ x 2⅛
42495*		Glazed	26 gauge, wire in rim	4 rows of 6	3¾	3⅛	⅜	4.6	17¾ x 25¾ x 1⅓
42475*		Glazed	26 gauge, wire in rim	3 rows of 4	4⅝	4⅜	1⅛	7.3	17¼ x 25⅜ x 1⅛
42425*		Glazed	26 gauge, wire in rim	3 rows of 5	4⅛	3⅞	½	4.5	17⅛ x 25⅛ x 1⅞
42345		Glazed	26 gauge, wire in rim	4 rows of 6	4¼	3⅝	½	6.8	19½ x 28¾ x 1⅝
71300		Glazed	22 gauge, wire in rim	8-on	4¼	3¾	½	3.3	13 x 18 x ½
Cluster Moulds									
42445*		Glazed	26 gauge, wire in rim	6 clusters of 4	3⅞	3⅞	½	4.5	17⅛ x 25⅛ x 1⅝

*ePAN® Pans



Band in Rim



Wire in Rim

Pan Rim Designs

- **Band in Rim:** Heavier; anti-shingle design, ideal for conveyorized and high-volume bakeries.
- **Wire in Rim:** Lighter; best for rack oven applications.

Hot Dog Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Individual Moulds									
42435*		Glazed	26 gauge, wire in rim	3 rows of 6	6 x 2 ¹ / ₁₆	5½ x 1 ¹ / ₁₆	½	4.5	17 ¹ / ₁₆ x 25 ¹ / ₁₆ x 1 ⁵ / ₈
42415		Glazed	22 gauge, wire in rim	4 rows of 6	6 x 2 ¹ / ₁₆	5½ x 1 ¹ / ₁₆	½	6.0	16¾ x 27¾ x 1 ⁵ / ₈
Cluster Moulds									
42465		Glazed	22 gauge, band in rim	8 clusters of 4	5 ⁵ / ₈ x 2 ¹ / ₁₆	5 x 1 ⁵ / ₈	15/32	7.5	19 ³ / ₈ x 25 ³ / ₄ x 1 ¹⁵ / ₃₂

*ePAN® Pans

Hoagie Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Blunt Ends									
41052		Glazed	22 gauge, band in rim	5 rows of 2	12 x 2¾	11¾ x 2 ⁷ / ₁₆	⅜	7.9	17¾ x 25¾ x 1⅜
41053		Glazed	22 gauge, band in rim	2 rows of 4	10 x 3	9¾ x 2¾	½	7.9	17¾ x 25¾ x 1½
Round Ends									
41055		Glazed	22 gauge, band in rim	6 rows of 2	7⅞ x 2½	7 ⁵ / ₁₆ x 2 ¹ / ₈	⅞	7.9	17¾ x 25¾ x 1 ⁷ / ₁₆
10450		Glazed	22 gauge, band in rim	6 rows of 3	7 ³ / ₃₂ x 2	6 ¹¹ / ₁₆ x 1 ¹¹ / ₁₆	½	7.4	17¾ x 25¾ x 1½

Slider Bun Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top In.	Bottom Outside	Depth		
40434		Glazed	22 gauge, band in rim	8 clusters of 12	1 ³ / ₈	1/8 concave bottom	1/8	7.1	17 ⁵ / ₈ x 25 ⁵ / ₈ x 1 ¹ / ₈

Square Ciabatta Roll Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
46351		Glazed	22 gauge, band in rim	4 rows of 5	3 ¹ / ₄ x 3	3 ⁷ / ₆₄ x 2 ²¹ / ₂₅	23/32	7.5	17 ³ / ₄ x 25 ³ / ₄ x 1 ²³ / ₃₂

ePAN® Pans

Chicago Metallic ePAN® pans are manufactured from high-tensile strength aluminized steel which produces a pan that is thinner and lighter, yet substantially stronger than traditional pans. Using less metal also means ePAN® pans heat faster and cool more quickly.



FIND OUT MORE

Bread & Baguette Pans



Single Open Top Bread Pans Aluminized steel, folded construction (unless otherwise noted)

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)
				Top Inside	Btm. Out.	Depth		
40411	★	Plain	26 gauge, seamless construction, curled rim	5 ⁵ / ₈ x 3 ³ / ₈	5 x 2 ¹ / ₂	2 ³ / ₁₆	0.3	0.4
40415	★	Glazed	26 gauge, seamless construction, curled rim	5 ⁵ / ₈ x 3 ³ / ₈	5 x 2 ¹ / ₂	2 ³ / ₁₆	0.3	0.4
45031	★	Glazed	26 gauge, seamless construction, wire in rim with notched corners	7 ¹ / ₄ x 3 ⁵ / ₈	6 ³ / ₄ x 3	2 ¹ / ₄	0.8	0.5
41065	★	Glazed	26 gauge, wire in rim	8 x 4	7 ¹ / ₄ x 3 ¹ / ₄	2 ¹ / ₂	0.9	0.8
40421	★	Plain	26 gauge, wire in rim	8 ¹ / ₂ x 4 ¹ / ₂	7 ⁵ / ₈ x 3 ⁵ / ₈	2 ¹¹ / ₁₆	1.0	1.0
40425	★	Glazed	26 gauge, wire in rim	8 ¹ / ₂ x 4 ¹ / ₂	7 ⁵ / ₈ x 3 ⁵ / ₈	2 ¹¹ / ₁₆	1.0	1.0
40561	★	Plain	26 gauge, wire in rim	9 x 4 ¹ / ₂	8 ¹ / ₄ x 3 ³ / ₄	2 ³ / ₄	1.1	1.0
40565	★	Glazed	26 gauge, wire in rim	9 x 4 ¹ / ₂	8 ¹ / ₄ x 3 ³ / ₄	2 ³ / ₄	1.1	1.0
10257	★	Glazed	26 gauge, wire in rim	9 ¹ / ₂ x 4 ¹ / ₂	9 x 4	2 ³ / ₄	1.3	1.0
49110	★	Plain	26 gauge, wire in rim	10 x 5	9 ³ / ₈ x 4 ³ / ₈	3	1.3	1.5
49115	★	Glazed	26 gauge, wire in rim	10 x 5	9 ³ / ₈ x 4 ³ / ₈	3	1.3	1.5
42304	★	Glazed	26 gauge, seamless construction, curled rim	10 ⁷ / ₈ x 4 ⁷ / ₈	10 x 4	2 ⁵ / ₁₆	0.7	1.5
40491	★	Plain	26 gauge, wire in rim	12 ¹ / ₄ x 4 ¹ / ₂	11 ¹ / ₂ x 3 ³ / ₄	2 ³ / ₄	1.3	1.5
40495	★	Glazed	26 gauge, wire in rim	12 ¹ / ₄ x 4 ¹ / ₂	11 ¹ / ₂ x 3 ³ / ₄	2 ³ / ₄	1.3	1.5
10291	★	Glazed	26 gauge, wire in rim	12 x 5	11 ¹ / ₄ x 4 ¹ / ₄	3 ¹ / ₂	1.9	1.5

3-Strap Open Top Bread Pans

Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
44235	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	4.7	9⅞ x 17⅞
45635	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	4.8	9 ²³ / ₃₂ x 17¾



4-Strap Open Top Bread Pans

Aluminized steel, folded construction, band over wire (unless otherwise noted)

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
44145	★	Glazed	26 gauge, seamless construction, strap under curled pan rims	5⅝ x 3⅝	5 x 2½	2⅜	2.0	6⅞ x 18
44065	★	Glazed	26 gauge, wire in rim	8 x 4	7¼ x 3¼	2½	5.1	8¾ x 19¾
44245	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	6.0	9⅞ x 21⅞
44585	★	Glazed	26 gauge, wire in rim	8½ x 5¾	8 x 5	3	7.5	9¾ x 26
10392	★	Glazed	26 gauge, wire in rim	9½ x 4½	9 x 4	2¾	6.8	10¼ x 21¾
10396	★	Glazed	26 gauge, wire in rim	10½ x 4½	10 x 4	3	8.0	11¼ x 21¾
45642	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	6.1	9 ²³ / ₃₂ x 21⅞
49145	★	Glazed	26 gauge, wire in rim	10 x 5	9⅝ x 4⅝	3	7.1	10 ²³ / ₃₂ x 23⅞
49415	★	Glazed	26 gauge, wire in rim	10 x 5	9⅝ x 4⅝	3	7.3	10 ²³ / ₃₂ x 26
44765	★	Glazed	26 gauge, wire in rim	12 x 5	11¼ x 4¼	3½	9.0	12¼ x 23⅞
44945	★	Glazed	26 gauge, wire in rim	12¼ x 4½	11½ x 3¾	2¾	7.5	12 ³¹ / ₃₂ x 21⅞



5-Strap Open Top Bread Pans

Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
44575	★	Glazed	26 gauge, wire in rim	7⅝ x 3⅝	6¾ x 3	2¼	6.1	8 ⁵ / ₃₂ x 25¾
10424	★	Glazed	26 gauge, wire in rim	8 x 4	7¼ x 3¼	2½	6.9	8¾ x 25¾
44255	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	7.1	9⅞ x 26
10428	★	Glazed	26 gauge, wire in rim	9½ x 4½	9 x 4	2¾	8.8	10¼ x 26
10430	★	Glazed	26 gauge, wire in rim	10½ x 4½	10 x 4	3	10.0	11¼ x 26
45655	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	7.5	9 ²³ / ₃₂ x 26
44955	★	Glazed	26 gauge, wire in rim	12¼ x 4½	11½ x 3¾	2¾	9.0	12 ³¹ / ₃₂ x 26



6-Strap Open Top Bread Pans

Aluminized steel, seamless construction, strap under pan rims

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
46925	★	Glazed	26 gauge, curled rim, large-radius corners	5⅝ x 3⅝	5⅝ x 2½	2¼	3.3	6 x 25⅞
41465	★	Glazed	26 gauge, curled rim, small-radius corners	5⅝ x 3⅝	5 x 2½	2⅜	3.0	6⅞ x 25⅞





Bread & Baguette Pans



Single Pullman Pans/Covers Aluminized steel, folded construction

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
44615	★	Glazed	26 gauge, wire in rim	13 x 4	12 ³ / ₄ x 3 ³ / ₄	4	1.8	1.5	13 ¹ / ₂₅ x 4 ¹ / ₂₅
44660	★	Glazed	Individual sliding cover for #44615	—	—	—	0.6	—	14 ⁹ / ₁₆ x 4 ³ / ₄
44650	★	Glazed	26 gauge, wire in rim	16 x 4	15 ³ / ₄ x 3 ³ / ₄	4	2.1	2.0	16 ⁵ / ₈ x 4 ⁵ / ₈
44655	★	Glazed	Individual sliding cover for #44650	—	—	—	0.7	—	17 ³ / ₈ x 4 ⁵ / ₈




3-Strap Pullman Pans/Covers Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
10367	★	Glazed	26 gauge, wire in rim	12 x 4	11 ³ / ₄ x 3 ³ / ₄	4	7.5	1.5	12 ³ / ₄ x 15 ³ / ₄
10471	★	Glazed	1" non-nesting, drop cover for #10367	—	—	—	6.3	—	13 ³ / ₄ x 16 ³ / ₄
44635	★	Glazed	26 gauge, wire in rim	13 x 4	12 ³ / ₄ x 3 ³ / ₄	4	7.3	1.5	13 ²³ / ₃₂ x 15 ⁵ / ₈
44645	★	Glazed	1" non-nesting, drop cover for #44635	—	—	—	4.3	—	14 ³ / ₈ x 16 ⁹ / ₃₂
44365	★	Glazed	26 gauge, wire in rim	16 x 4	15 ³ / ₄ x 3 ³ / ₄	4	8.5	2.0	16 ³ / ₄ x 15 ³ / ₄
46465	★	Glazed	1" non-nesting, drop cover for #44365	—	—	—	5.3	—	17 ³ / ₈ x 16 ¹³ / ₃₂
10369	★	Glazed	26 gauge, wire in rim	16 x 4 ¹ / ₂	15 ³ / ₄ x 4 ¹ / ₄	4 ¹ / ₂	10.0	2.1	16 ³ / ₄ x 17
16083	★	Glazed	1" non-nesting, drop cover for #10369	—	—	—	6.2	—	17 ³ / ₄ x 18



4-Strap Pullman Pan/Cover Aluminized steel, folded construction, band over wire


Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
44685	★	Glazed	26 gauge, wire in rim	13 x 4	12 ³ / ₄ x 3 ³ / ₄	4	9.5	1.5	13 ³ / ₄ x 21 ³ / ₈
44695	★	Glazed	1 ¹ / ₂ " nested cover for #44685	—	—	—	6.3	—	14 ³ / ₄ x 22 ³ / ₈



3-Strap Hearth Bread Pan

Aluminized steel, seamless construction, band over wire, partial bottom and sidewall perforations, flat bottom

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
44405	★	Glazed	22 gauge, wire in rim	11 ¹ / ₂ x 6	11 x 3 ¹ / ₂	2 ¹ / ₂	6.5	1.5	12 ³ / ₁₆ x 25 ⁷ / ₈




4-Strap Hearth Bread Pan

Aluminized steel, folded construction, band over wire, quilted corrugations, flat bottom with two rows of sidewall perforations

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
41145	★	Glazed	22 gauge, wire in rim	11 ⁹ / ₁₆ x 5 ³ / ₄	10 ¹⁵ / ₁₆ x 3 ³ / ₄	2 ³ / ₄	7.8	1.5	12 ³ / ₈ x 26 ¹ / ₁₆


Rye Bread/Miche Pan 3-Strap Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
47125	★	Glazed	22 gauge, seamless construction, wire in rim, band over wire	11½ x 7	4½ x 11	3	7.9	1.5	12¼ x 25⅞




Baguette Pans Aluminum

Item #	In Stock	Coating	Description	Moulds Per Pan	Mould Dimensions (in) Top Inside	Weight Each (lb)	Overall Size (in)
49011	★	Glazed	16 gauge, .081" diameter perforation, open ends, welded style	3 long	5 x 25¾	3.3	17¾ x 25¾ x 2⅛
45505	★	Glazed	16 gauge, .081" diameter perforation, open ends, welded style	5 across	3⅞ x 17¾	3.8	17¾ x 25¾ x 1



Uni-Lock® Baguette Pans[†] Aluminum


Item #	In Stock	Coating	Description	Moulds Per Pan	Mould Dimensions (in) Top Inside	Weight Each (lb)	Overall Size (in)
49034	★	Glazed	16 gauge, .081" diameter perforation, open ends	4 long	3⅞ x 25¾	3.5	17¾ x 25¾ x 1
49035	★	Glazed	16 gauge, .081" diameter perforation, open ends	5 long	3 x 25¾	3.7	17¾ x 25¾ x 1
45515	★	Glazed	16 gauge, .081" diameter perforation, open ends	5 across	3⅞ x 17¾	3.5	17¾ x 25¾ x 1
49036	★	Glazed	16 gauge, .081" diameter perforation, open ends	6 long	2⅞ x 25¾	3.7	17¾ x 25¾ x 1



[†]Uni-Lock® U.S. Patent No. 7,258,246 and Canada Patent No. 2,557,979. For Uni-Lock® patent numbers of other countries, please visit www.bundybakingsolutions.com/patents-trademarks/.

Uni-Lock® Baguette Pans

Our Uni-Lock® Baguette Pans utilize a patented locking method to provide a permanent connection between the frame and panel. Our unique design does not rely on individual fasteners or welding so there are no rivets to loosen and fall free and no broken welds to worry about.



Specialty Bread Pans



Crimped Round Bread 4-Pan Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)		Weight Each (lb)	Loaf Weight (lb)	Overall Size (in)
				Top Inside	Diameter			
48514		Glazed	26 gauge, wire in rim, 2-piece locking set	10	3 $\frac{3}{4}$	10.0	1.0	10 $\frac{17}{32}$ x 17 $\frac{1}{4}$



Cinnamon/Package Roll 3-Pan Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
41695		Glazed	26 gauge, seamless construction, wire in rim	9 $\frac{1}{4}$ x 6 $\frac{5}{8}$	9 x 6 $\frac{3}{8}$	1 $\frac{7}{8}$	4.5	9 $\frac{7}{8}$ x 22 $\frac{1}{8}$


Tortilla Shell Pans Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)
				Top Inside	Bottom Outside	Depth	
46990	★	Plain	26 gauge	9 $\frac{1}{8}$	4 $\frac{1}{8}$	3	0.5
46995	★	Glazed	26 gauge	9 $\frac{1}{8}$	4 $\frac{1}{8}$	3	0.5
45990	★	Plain	22 gauge	6 $\frac{5}{8}$	3 $\frac{1}{8}$	2 $\frac{3}{16}$	0.3
45995	★	Glazed	22 gauge	6 $\frac{5}{8}$	3 $\frac{1}{8}$	2 $\frac{3}{16}$	0.3



Sub Sandwich Roll Pans Aluminum

Item #	In Stock	Coating	Description	Arrange-ment	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Full-Size									
49015	★	Glazed	16 gauge, perforated, individual flat bottom moulds with end caps	2 rows of 5	12½ x 3	12½ x 2¼	¾	3.4	17¾ x 25⅜ x ¾
Half-Size									
49014	★	Glazed	16 gauge, perforated, individual flat bottom moulds with end caps	1 row of 5	12½ x 3	12½ x 2¼	¾	1.9	17¾ x 12¾ x ¾



Loaf Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Individual Pan Size (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth	L	W		
43040	★	Glazed	26 gauge, wire in rim	3 rows of 2	10 $\frac{7}{8}$ x 4 $\frac{7}{8}$	10 x 4	2 $\frac{5}{16}$	5 $\frac{1}{2}$	11 $\frac{3}{4}$	5.6	17 $\frac{7}{8}$ x 25 $\frac{7}{8}$



Mini-Loaf Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Individual Pan Size (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
45755	★	Glazed	26 gauge, square corners, wire in rim	2 rows of 6	6.4	3 $\frac{7}{8}$ x 2 $\frac{1}{2}$	3 $\frac{1}{2}$ x 2 $\frac{1}{8}$	1 $\frac{5}{16}$	3 $\frac{1}{8}$	4 $\frac{1}{2}$	3.8	9 $\frac{7}{8}$ x 19 $\frac{1}{2}$
45725	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3 $\frac{7}{8}$ x 2 $\frac{1}{2}$	3 $\frac{1}{2}$ x 2 $\frac{1}{8}$	1 $\frac{5}{16}$	3 $\frac{1}{8}$	4 $\frac{1}{2}$	7.8	18 $\frac{7}{8}$ x 25 $\frac{7}{8}$
45727	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3 $\frac{7}{8}$ x 2 $\frac{1}{2}$	3 $\frac{1}{2}$ x 2 $\frac{1}{8}$	1 $\frac{5}{16}$	3 $\frac{1}{8}$	4 $\frac{1}{4}$	7.9	17 $\frac{7}{8}$ x 25 $\frac{7}{8}$



*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Tortilla Shell Pans

Chicago Metallic's Tortilla Shell Pan is ideal for baking a healthier version of the popular fried tortilla bowl. Baking tortillas instead of frying them eliminates the extra fat and calories while still providing the crispy texture that consumers love. The tortilla shell pan can accommodate a variety of tortilla sizes; thus, the tortillas can be used as a delicious serving bowl for dips, salads, desserts, and more.



Pizza Pans



Straight Sidewall Pizza Pans Aluminized steel



Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Bottom Outside (in)	Depth (in)	Weight Each (lb)
41010	★	Plain	26 gauge	10	10	10	1	0.8
41210	★	Plain	26 gauge	12	12	12	1	1.0
41400	★	Plain	22 gauge	14	14	14	1	1.8
41610	★	Plain	22 gauge	16	16	16	1	2.2
46150	★	Plain	26 gauge	6	6	6	1½	0.4
48050	★	Plain	26 gauge	8	8	8	1½	0.7
49152	★	Plain	26 gauge	9	9	9	1½	0.8
45020	★	Plain	26 gauge	5	5⅝	5⅝	2⅛	0.4
46020	★	Plain	26 gauge	6	6	6	2	0.5
47020	★	Plain	26 gauge	7	7	7	2	0.6
48020	★	Plain	26 gauge	8	8	8	2	0.8
49020	★	Plain	26 gauge	9	9	9	2	0.9
41020	★	Plain	26 gauge	10	10	10	2	1.1
41220	★	Plain	26 gauge	12	12	12	2	1.4
41420	★	Plain	22 gauge	14	14	14	2	2.3

Detroit Style Pizza Pans Carbon steel (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
90525*	★	Glazed	22 gauge	0.7	5 x 7 x 2½
90825*	★	Glazed	22 gauge	1.0	8⅞ x 10¼ x 2½
91025*	★	Glazed	22 gauge	1.5	10⅞ x 14¼ x 2½
90800	★	Plain	Aluminum stacking lid for #90825 and #91025	0.7	11⅜ x 15⅞ x ½

*Batch-to-batch color variance may occur.



BĀKALON Tandem Detroit Style Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
91000	★	Plain	14 gauge	1.5	9⅓⅓ x 14⅞ x 2⅓⅓
91005	★	Pre-Seasoned	14 gauge	1.5	9⅓⅓ x 14⅞ x 2⅓⅓



EXACT STACK® Deep Dish Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Bottom Outside (in)	Depth (in)	Weight Each (lb)
75010	★	Plain	14 gauge, nestable, BĀKALON	12	12¼	11⅓⅓	2	1.2
75012	★	Pre-Seasoned	14 gauge, nestable, BĀKALON	12	12¼	11⅓⅓	2	1.2
75140	★	Plain	14 gauge, nestable, BĀKALON	14	14⅞	13⅓⅓	2	1.4
75145	★	Pre-Seasoned	14 gauge, nestable, BĀKALON	14	14⅞	13⅓⅓	2	1.4



EXACT STACK® Pizza Pans

Chicago Metallic EXACT STACK® Pizza Pans are engineered to stack securely yet release easily when lifted. The pans can be used to proof dough while stacked and will not stick together due to the proprietary design. They offer an average overall space savings of 30% over traditional pizza pans with lids. Made with high-strength aluminum with a durable, hardcoat anodized surface that will not chip, peel, rust, or interact with food, EXACT STACK® Pizza Pans are available plain or pre-seasoned with AMERICOAT® ePlus glaze.



LEARN
MORE





Pizza Pans

BĀKALON Deep Dish Pizza Pans Hardcoat anodized aluminum



Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight Each (lb)
91060	★	Plain	14 gauge, nestable	6	6 ⁵ / ₈	6	1½	0.5
91065	★	Pre-Seasoned	14 gauge, nestable	6	6 ⁵ / ₈	6	1½	0.5
91068	★	Plain	14 gauge, nestable, perforated bottom	6	6 ⁵ / ₈	6	1½	0.5
91090	★	Plain	14 gauge, nestable, embossed feet	9	9	8 ³ / ₈	1½	0.8
91095	★	Pre-Seasoned	14 gauge, nestable, embossed feet	9	9	8 ³ / ₈	1½	0.8
91098	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	9	9	8 ³ / ₈	1½	0.8
91100	★	Plain	14 gauge, nestable, embossed feet	10	10¼	9 ⁵ / ₈	1½	0.9
91105	★	Pre-Seasoned	14 gauge, nestable, embossed feet	10	10¼	9 ⁵ / ₈	1½	0.9
91108	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	10	10¼	9 ⁵ / ₈	1½	0.9
91120	★	Plain	14 gauge, nestable, embossed feet	12	12	11 ³ / ₈	1½	1.2
91125	★	Pre-Seasoned	14 gauge, nestable, embossed feet	12	12	11 ³ / ₈	1½	1.2
91128	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	12	12	11 ³ / ₈	1½	1.2
91130	★	Plain	14 gauge, nestable, embossed feet	13	13 ¹ / ₁₆	12 ³ / ₈	1½	1.4
91135	★	Pre-Seasoned	14 gauge, nestable, embossed feet	13	13 ¹ / ₁₆	12 ³ / ₈	1½	1.4
91138	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	13	13 ¹ / ₁₆	12 ³ / ₈	1½	1.4
91140	★	Plain	14 gauge, nestable, embossed feet	14	14 ³ / ₁₆	13 ¹⁷ / ₃₂	1½	1.6
91145	★	Pre-Seasoned	14 gauge, nestable, embossed feet	14	14 ³ / ₁₆	13 ¹⁷ / ₃₂	1½	1.6
91148	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	14	14 ³ / ₁₆	13 ¹⁷ / ₃₂	1½	1.6
91150	★	Plain	14 gauge, nestable, embossed feet	15	14¾	14 ¹ / ₈	1½	1.7
91155	★	Pre-Seasoned	14 gauge, nestable, embossed feet	15	14¾	14 ¹ / ₈	1½	1.7
91158	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	15	14¾	14 ¹ / ₈	1½	1.7
91160	★	Plain	14 gauge, nestable, embossed feet	16	16 ¹ / ₃₂	15 ⁵ / ₁₆	1½	2.0
91165	★	Pre-Seasoned	14 gauge, nestable, embossed feet	16	16 ¹ / ₃₂	15 ⁵ / ₁₆	1½	2.0
91168	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	16	16 ¹ / ₃₂	15 ⁵ / ₁₆	1½	2.0



BĀKALON Thin Crust Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight Each (lb)
49100	★	Plain	14 gauge	10	10	9 ⁷ / ₈	3 ³ / ₈	0.8
49103	★	Pre-Seasoned	14 gauge	10	10	9 ⁷ / ₈	3 ³ / ₈	0.8
49108	★	Plain	14 gauge, perforated bottom	10	10	9 ⁷ / ₈	3 ³ / ₈	0.8
49120	★	Plain	14 gauge	12	12	11 ⁷ / ₈	3 ³ / ₈	1.1
49123	★	Pre-Seasoned	14 gauge	12	12	11 ⁷ / ₈	3 ³ / ₈	1.1
49128	★	Plain	14 gauge, perforated bottom	12	12	11 ⁷ / ₈	3 ³ / ₈	1.1
49140	★	Plain	14 gauge	14	13 ¹⁵ / ₁₆	13 ¹³ / ₁₆	3 ³ / ₈	1.4
49143	★	Pre-Seasoned	14 gauge	14	13 ¹⁵ / ₁₆	13 ¹³ / ₁₆	3 ³ / ₈	1.4
49148	★	Plain	14 gauge, perforated bottom	14	13 ¹⁵ / ₁₆	13 ¹³ / ₁₆	3 ³ / ₈	1.4
49160	★	Plain	14 gauge	16	16 ¹ / ₈	15 ²³ / ₃₂	3 ³ / ₈	1.7
49163	★	Pre-Seasoned	14 gauge	16	16 ¹ / ₈	15 ²³ / ₃₂	3 ³ / ₈	1.7
49168	★	Plain	14 gauge, perforated bottom	16	16 ¹ / ₈	15 ²³ / ₃₂	3 ³ / ₈	1.7



BĀKALON Sheet Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
44693	★	Plain	16 gauge, aluminum wire in rim, StayFlat®	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
44694	★	Pre-Seasoned	16 gauge, aluminum wire in rim, StayFlat®	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
Half-Size					
40952	★	Plain	14 gauge, open/semi-curved rim	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40954	★	Pre-Seasoned	14 gauge, open/semi-curved rim	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
Quarter-Size					
40452	★	Plain	16 gauge, curled rim, no wire	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
40454	★	Pre-Seasoned	16 gauge, curled rim, no wire	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
Eighth-Size					
41852	★	Plain	16 gauge, curled rim, no wire	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂
41854	★	Pre-Seasoned	16 gauge, curled rim, no wire	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂




BĀKALON Pans

Chicago Metallic BĀKALON Pans are hard anodized aluminum pans that provide optimal strength, durability, and thermal conductivity. This ultra-hard, aluminum oxide surface provides a nearly permanent protective dark gray cooking surface that will not chip, peel, rust, or interact with food. In fact, some bakers have experienced over 50,000 bakes!

BĀKALON pans pre-seasoned with Chicago Metallic's proprietary AMERICOAT® ePlus silicone release coating offer exceptional ease and convenience, combining the release characteristics of a non-stick coating with the flexibility to use metal utensils.



GET MORE
DETAILS





Pizza Pans



BĀKALON Flatbread Pizza Pan Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
96310	★	Pre-Seasoned	14 gauge, flared sides, welded corners	0.7	5 x 15 x 1/2



BĀKALON Roman Style Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
96010	★	Pre-Seasoned	12 gauge, straight sides, welded corners, hemmed edge	1.9	7 7/8 x 23 5/8 x 3/4
96030	★	Pre-Seasoned	12 gauge, straight sides, welded corners, hemmed edge	3.4	15 3/4 x 23 5/8 x 3/4



BĀKALON Grandma Style Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
96110	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.5	5 x 7 x 1
96130	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.7	8 x 8 x 1
96150	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.9	8 x 12 x 1
96170	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.0	10 x 10 x 1
96190	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.2	9 3/4 x 13 3/4 x 1
96210	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.3	12 x 12 x 1
96230	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.7	12 x 16 x 1
96250	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.7	11 3/4 x 17 3/4 x 1
96270	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.6	14 x 14 x 1
96290	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	3.6	17 3/4 x 25 3/4 x 1



Materials

Pizza pan material impacts heat conduction, durability, and crust quality, making it an important consideration for consistent and efficient baking.

- **Aluminized Steel:** Retains a significant amount of heat during the baking process.
- **Carbon Steel:** Produces a truly authentic Detroit Style Pizza that heats evenly and retains heat well.
- **Hardcoat Anodized Aluminum:** Radiates more heat than lighter colored pans, resulting in faster bake times and crusts with a darker bottom.



Shapes

The shape of your pizza pan affects portioning, presentation, and space optimization, influencing both operational efficiency and customer appeal.

- **Rectangular:** Maximizes the use of oven space and provides a larger surface area.
- **Round:** Presents a truly recognizable dish with a variety of size and topping options, offering extreme flexibility in menu offerings.
- **Square:** Offers more crust edges and appeals to customers looking for a non-traditional pizza style.



Coatings

The right pan coating ensures easy release, reducing the need for oil/grease, and enhances the pan's lifespan, streamlining your baking process and maintenance.

- **Glazed:** Reduces the need for secondary release agents such as oil.
- **Plain:** Provides a budget-friendly pan option, allowing you to season it yourself for customized results.
- **Pre-Seasoned:** Offers exceptional ease and convenience, combining the release characteristics of a non-stick coating with the flexibility to use metal utensils.



Special Features

Special features of pizza pans optimize baking performance and cater to unique menu offerings, setting your operation apart.

- **Embossed Feet:** Allows air to flow between the pan bottom and deck oven heating element, enabling deep dish pizzas to bake longer without burning the crust.
- **Perforated Bottoms:** Provides air flow to the bottom of the crust to help crisp crusts faster.
- **Stackable Sidewalls:** Offers the ability to stack pans securely during proofing or storing to save on space.



The Upper Crust in Pizza Pan Options

From thin crust to deep dish and a wide range of specialty styles, we have the perfect assortment of pizza pan materials, shapes, coatings, and special features in stock and ready to take your pizza production to the next level!



Pizza Pans



BAKALON Sicilian Style Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
97002	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.5	6 x 6 x 1½
97004	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.6	6 x 6 x 2
97006	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.7	8 x 8 x 1½
97008	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.9	8 x 8 x 2
97014	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.9	9 x 9 x 1½
97016	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.9	9 x 9 x 2
97010	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.9	10 x 8 x 1½
97012	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	0.9	10 x 8 x 2
97018	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.0	10 x 10 x 1½
97020	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.2	10 x 10 x 2
97022	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.0	12 x 8 x 1½
97024	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.2	12 x 8 x 2
97026	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.4	12 x 12 x 1½
97028	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.6	12 x 12 x 2
97030	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.4	14 x 10 x 1½
97032	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.6	14 x 10 x 2
97034	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.8	14 x 14 x 1½
97036	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	2.0	14 x 14 x 2
97038	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	1.8	16 x 12 x 1½
97040	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	2.0	16 x 12 x 2
97042	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	2.3	16 x 16 x 1½
97044	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	2.5	16 x 16 x 2
97046	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	2.0	18 x 12 x 1½
97048	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	2.3	18 x 12 x 2
97050	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	2.8	18 x 18 x 1½
97052	★	Pre-Seasoned	14 gauge, flared sides, welded corners, hemmed edge	3.0	18 x 18 x 2



Welded Corner Custom Pans

Our welded corner custom pans are designed to meet the unique needs of your foodservice operation. With a seamless and durable construction, you can get the perfect pan for flatbreads, pizza, food displays, and more. Low minimum order quantities support flexibility in your production and reduce upfront investment.

Egg Pans




Egg Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
41002	★🇨🇦	Glazed	22 gauge, band in rim	3 rows of 5	4 $\frac{1}{8}$	3 $\frac{3}{4}$	$\frac{1}{2}$	8.3	17 $\frac{3}{4}$ x 25 $\frac{3}{4}$ x 1 $\frac{1}{2}$
41005	★🇨🇦	Glazed	22 gauge, band in rim	3 rows of 4	5	4 $\frac{3}{4}$	$\frac{1}{2}$	8.5	17 $\frac{3}{4}$ x 25 $\frac{3}{4}$ x 1 $\frac{1}{2}$
41006	★	Glazed	22 gauge, band in rim	2 rows of 3	4 $\frac{1}{8}$	3 $\frac{7}{8}$	1 $\frac{1}{8}$	5.3	12 x 17 $\frac{5}{8}$ x 2 $\frac{1}{8}$
42495*	★🇨🇦	Glazed	26 gauge, wire in rim	4 rows of 6	3 $\frac{3}{4}$	3 $\frac{1}{8}$	$\frac{3}{8}$	4.6	17 $\frac{3}{4}$ x 25 $\frac{3}{4}$ x 1 $\frac{1}{3}$
42475*	★	Glazed	26 gauge, wire in rim	3 rows of 4	4 $\frac{5}{8}$	4 $\frac{3}{8}$	1 $\frac{1}{16}$	7.3	17 $\frac{1}{4}$ x 25 $\frac{3}{8}$ x 1 $\frac{1}{16}$
42425*	★	Glazed	26 gauge, wire in rim	3 rows of 5	4 $\frac{1}{8}$	3 $\frac{7}{8}$	$\frac{1}{2}$	4.5	17 $\frac{1}{16}$ x 25 $\frac{1}{16}$ x 1 $\frac{19}{32}$
42345	★	Glazed	26 gauge, wire in rim	4 rows of 6	4 $\frac{1}{4}$	3 $\frac{5}{8}$	$\frac{1}{2}$	6.8	19 $\frac{1}{2}$ x 28 $\frac{3}{4}$ x 1 $\frac{5}{8}$
71300	★	Glazed	22 gauge, wire in rim	8-on	4 $\frac{1}{4}$	3 $\frac{3}{4}$	$\frac{1}{2}$	3.3	13 x 18 x $\frac{1}{2}$

*ePAN® Pans



Cake & Pie Pans



Mini-Fluted Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
43055	★	Glazed	22 gauge, wire in rim	3 rows of 5	7.5	3 ¹⁵ / ₁₆	3	1 ¹¹ / ₁₆	4 ⁵ / ₈	4 ⁷ / ₈	9.6	17 ⁷ / ₈ x 25 ⁷ / ₈



Slab Cake Pans Aluminized steel, seamless construction (pans do not nest)

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out.	Depth	
40232	★	Glazed	22 gauge, wire in rim	21.5	15 ³ / ₂₅ x 21 ³ / ₂₅	14 ⁵ / ₈ x 20 ⁵ / ₈	2	5.8
40237	★	Glazed	22 gauge, band in rim	30.0	17 ¹¹ / ₅₀ x 25 ¹¹ / ₅₀	17 x 25	2	8.2

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Bundt® Pans[†] Cast aluminum

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)				Weight Each (lb)
					Top Inside	Btm. Out.	Top Out.	Depth	
Small Bundt®									
51224	★	Non-Stick Black	10 gauge, no handles	48.0	7⅞	6¾	8⅜	2²⁹⁄₃₂	1.3
Large Bundt®									
50136	★	Non-Stick Black	10 gauge, no handles	96.0	9¹⁵⁄₁₆	8¾	10³⁄₈	3²¹⁄₃₂	1.8



Bundtlette® Pan[†] Cast aluminum

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth		
50624	★	Non-Stick Black	10 gauge	2 rows of 3	8.0	4	2 ³ / ₄	1 ⁷ / ₈	2.2	8 ¹⁵ / ₁₆ x 13 ¹⁵ / ₁₆



[†]Bundt® and Bundtlette® are the registered trademarks of Nordic Ware®, a division of Northland Aluminum Products, Inc., Minneapolis, MN 55416.

Angel Food/Tube Cake Pans Aluminum

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Tube Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out.	Depth	Top Inside	Btm. Inside	Depth	
46500	★	Plain	15 gauge, solid bottom, nesting ring in tube	62.0	7 ¹ / ₂	7	2 ³ / ₄	1 ³ / ₄	2 ⁵ / ₈	3	0.8
46505	★	Glazed	15 gauge, solid bottom, nesting ring in tube	62.0	7 ¹ / ₂	7	2 ³ / ₄	1 ³ / ₄	2 ⁵ / ₈	3	0.8
46530	★	Plain	15 gauge, solid bottom, nesting ring in tube	60.0	7 ¹ / ₂	6 ⁷ / ₈	3 ¹ / ₁₆	2 ⁹ / ₁₆	3 ¹ / ₈	3 ¹ / ₈	0.8
46535	★	Glazed	15 gauge, solid bottom, nesting ring in tube	60.0	7 ¹ / ₂	6 ⁷ / ₈	3 ¹ / ₁₆	2 ⁹ / ₁₆	3 ¹ / ₈	3 ¹ / ₈	0.8
46540	★	Plain	15 gauge, solid bottom, nesting ring in tube	116.0	9 ¹ / ₄	8	4	2 ¹ / ₄	3	4 ¹ / ₈	1.2
46545	★	Glazed	15 gauge, solid bottom, nesting ring in tube	116.0	9 ¹ / ₄	8	4	2 ¹ / ₄	3	4 ¹ / ₈	1.2
46550	★	Plain	15 gauge, solid bottom, nesting ring in tube	128.0	9 ³ / ₈	8 ¹ / ₄	4	2 ³ / ₈	3 ¹ / ₈	4 ¹ / ₈	1.3
46555	★	Glazed	15 gauge, solid bottom, nesting ring in tube	128.0	9 ³ / ₈	8 ¹ / ₄	4	2 ³ / ₈	3 ¹ / ₈	4 ¹ / ₈	1.3
46560	★	Plain	15 gauge, solid bottom, nesting ring in tube	144.0	10	9 ¹ / ₄	3 ³ / ₄	3 ¹ / ₄	4	4 ¹ / ₂	1.5
46565	★	Glazed	15 gauge, solid bottom, nesting ring in tube	144.0	10	9 ¹ / ₄	3 ³ / ₄	3 ¹ / ₄	4	4 ¹ / ₂	1.5



Spring Form Cake Pans High strength aluminum alloy

Item #	In Stock	Coating	Description	Vol. (oz)*	Overall Dimensions (in)		Weight Each (lb)
					Top Inside	Depth	
40406	★	Plain	20 gauge, includes removable bottom	47.0	6	2 ³ / ₄	0.6
40408	★	Plain	20 gauge, includes removable bottom	83.5	8	2 ³ / ₄	0.8
40409	★	Plain	20 gauge, includes removable bottom	105.7	9	2 ³ / ₄	0.8
40410	★	Plain	20 gauge, includes removable bottom	130.5	9 ⁷ / ₈	2 ³ / ₄	0.8
40412	★	Plain	20 gauge, includes removable bottom	187.9	12	2 ³ / ₄	1.2



*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



Cake & Pie Pans



Specialty Cake Pans Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)		Weight Each (lb)	Tube Dimensions (in)		
					Top Inside	Depth		Top Inside	Btm. Inside	Depth
Turks Head										
47605	★	Glazed	16 gauge, wire in rim, fluted sidewalls, round bottom	36.0	6½	2 ¹⁵ / ₁₆	0.6	1 diameter	2 diameter	3¾
Sand Torte										
47645	★	Glazed	16 gauge, wire in rim, ribbed sidewalls, embossed bottom	56.0	7 ⁷ / ₁₆	3 ³ / ₈	0.6	2 diameter	2½ diameter	3
Heart										
48105	★	Glazed	26 gauge aluminized steel	60.0	8 ¹³ / ₁₆ x 8 ¹ / ₈	2	0.8	——	——	——
Lava Cake										
40575	★	Glazed	22 gauge aluminized steel, curled rim, fluted sidewalls	18.0	5¾	2 ¹ / ₁₆	0.5	1 ⁵ / ₈ diameter	1 ⁷ / ₈ diameter	1¼

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



Pie Pans Aluminum (unless otherwise noted), sold by the gross only (144 minimum)

Item #	In Stock	Coating	Description	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight per Gross (lb)	Overall Size (in)
41509	★	Plain	30 gauge	8	6¼	1⅓	14.4	8 ²⁹ / ₃₂ x 1⅓
41110†	★	Plain	30 gauge tin	9	7½	1	43.2	9 ²⁷ / ₃₂ x 1
48110	★	Plain	30 gauge	8⅞	7⅓	1⅞	10.2	9 ⁵ / ₈ x 1⅞

†Hand-wash only



Heavy-Duty Pie Pan, Deep Dish Aluminized steel

Item #	In Stock	Coating	Description	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight Each (lb)	Overall Size (in)
23100	★	Glazed	22 gauge, curled rim	9	6⅝	1½	1.0	10 x 1½



Custom Embossed Pans

You don't have to order thousands of pans to take advantage of our custom embossing services. Contact Chicago Metallic today to request pans stamped with your logo or other custom design.

Round Cake Pans Aluminized steel



Item #	In Stock	Coating	Description	Vol. (oz)*	Overall Dimensions (in)		Weight Each (lb)
					Top Inside	Depth	
41010	★	Plain	26 gauge, straight sidewalls	43.5	10	1	0.8
41018	★	Glazed	26 gauge, straight sidewalls	43.5	10	1	0.8
41210	★	Plain	26 gauge, straight sidewalls	62.6	12	1	1.0
41215	★	Glazed	26 gauge, straight sidewalls	62.6	12	1	1.0
41400	★	Plain	22 gauge, straight sidewalls	85.3	14	1	1.8
41405	★	Glazed	22 gauge, straight sidewalls	85.3	14	1	1.8
41610	★	Plain	22 gauge, straight sidewalls	111.4	16	1	2.2
41615	★	Glazed	22 gauge, straight sidewalls	111.4	16	1	2.2
46150	★	Plain	26 gauge, straight sidewalls	23.5	6	1½	0.4
46155	★	Glazed	26 gauge, straight sidewalls	23.5	6	1½	0.4
48050	★	Plain	26 gauge, straight sidewalls	41.8	8	1½	0.7
48055	★	Glazed	26 gauge, straight sidewalls	41.8	8	1½	0.7
49152	★	Plain	26 gauge, straight sidewalls	52.8	9	1½	0.8
49155	★	Glazed	26 gauge, straight sidewalls	52.8	9	1½	0.8
45020	★	Plain	26 gauge, straight sidewalls	21.8	5⅓/32	2⅓/16	0.4
45025	★	Glazed	26 gauge, straight sidewalls	21.8	5⅓/32	2⅓/16	0.4
46020	★	Plain	26 gauge, straight sidewalls	31.3	6	2	0.5
46025	★	Glazed	26 gauge, straight sidewalls	31.3	6	2	0.5
47020	★	Plain	26 gauge, straight sidewalls	42.6	7	2	0.6
47026	★	Glazed	26 gauge, straight sidewalls	42.6	7	2	0.6
48020	★	Plain	26 gauge, straight sidewalls	55.7	8	2	0.8
48025	★	Glazed	26 gauge, straight sidewalls	55.7	8	2	0.8
49020	★	Plain	26 gauge, straight sidewalls	70.5	9	2	0.9
49025	★	Glazed	26 gauge, straight sidewalls	70.5	9	2	0.9
41020	★	Plain	26 gauge, straight sidewalls	87.0	10	2	1.1
41025	★	Glazed	26 gauge, straight sidewalls	87.0	10	2	1.1
41220	★	Plain	26 gauge, straight sidewalls	125.3	12	2	1.4
41225	★	Glazed	26 gauge, straight sidewalls	125.3	12	2	1.4
41420	★	Plain	22 gauge, straight sidewalls	170.5	14	2	2.3
41425	★	Glazed	22 gauge, straight sidewalls	170.5	14	2	2.3
45030	★	Plain	22 gauge, straight sidewalls	32.8	5	3	0.6
45035	★	Glazed	22 gauge, straight sidewalls	32.8	5	3	0.6
46030	★	Plain	22 gauge, straight sidewalls	46.3	6	3	0.9
46035	★	Glazed	22 gauge, straight sidewalls	46.3	6	3	0.9
47030	★	Plain	22 gauge, straight sidewalls	56.8	7	3	1.0
47035	★	Glazed	22 gauge, straight sidewalls	56.8	7	3	1.0
48030	★	Plain	22 gauge, straight sidewalls	74.3	8	3	1.2
48035	★	Glazed	22 gauge, straight sidewalls	74.3	8	3	1.2
49330	★	Plain	22 gauge, straight sidewalls	94.0	9	3	1.3
49335	★	Glazed	22 gauge, straight sidewalls	94.0	9	3	1.3
41320	★	Plain	22 gauge, straight sidewalls	130.5	10	3	1.4
41325	★	Glazed	22 gauge, straight sidewalls	130.5	10	3	1.4
41230	★	Plain	22 gauge, straight sidewalls	187.9	12	3	1.8
41235	★	Glazed	22 gauge, straight sidewalls	187.9	12	3	1.8
41430	★	Plain	22 gauge, straight sidewalls	255.8	14	3	2.8
41435	★	Glazed	22 gauge, straight sidewalls	255.8	14	3	2.8

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

USA PAN® Bakeware



Cake Pans Aluminized steel, folded construction



Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Square Cake									
21300		Glazed	22 gauge, wire in rim	77.3	8 x 8	7¾ x 7¾	2¼	2.0	8⅞ x 8⅞
21500		Glazed	22 gauge, wire in rim	87.3	9 x 9	8¾ x 8¾	2¼	2.2	9⅞ x 9⅞
Rectangular Cake									
21100		Glazed	22 gauge, wire in rim	126.6	9 x 13	8¾ x 12¾	2¼	2.3	9⅞ x 13⅞

Fluted Tube Cake Pans Aluminized steel, seamless construction



Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out.	Depth	
51060	★	Plain	22 gauge, curled rim	96.0	10	8 ⁷ / ₈	3 ³ / ₄	2.3
51065	★	Glazed	22 gauge, curled rim	96.0	10	8 ⁷ / ₈	3 ³ / ₄	2.3

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Heavy-Duty Pie Pan, Deep Dish Aluminized steel

Item #	In Stock	Coating	Description	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
23100	★	Glazed	22 gauge, curled rim	9	6 ¹⁵ / ₁₆	1 ¹ / ₂	1.0	10 x 1 ¹ / ₂



Pecan Roll/Large Muffin Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	8.2	3 ¹¹ / ₁₆	2 ¹ / ₂	1 ¹³ / ₁₆	4 ¹ / ₄	4 ¹ / ₄	2.2	11 ¹ / ₈ x 15 ³ / ₄



Madeleine Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25400	★	Glazed	22 gauge, curled rim	4 rows of 4	1.0	3	3	5 ⁸ / ₈	3 ²³ / ₆₄	2 ⁷ / ₁₆	1.7	11 ¹ / ₈ x 15 ³ / ₄



Donut Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25200	🇨🇦	Glazed	22 gauge, curled rim	3 rows of 2	3.5	3 ¹ / ₂	3 ³ / ₈	7 ⁷ / ₈	4 ¹ / ₈	4 ¹ / ₈	2.1	11 ¹ / ₈ x 15 ³ / ₄



Jelly Roll Pans Aluminized steel

Item #	In Stock	Coating	Description	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
20700	★	Glazed	22 gauge, wire in rim	9 ⁵ / ₁₆ x 14 ¹ / ₄	8 ⁵ / ₈ x 13 ⁹ / ₁₆	1	2.3	9 ¹³ / ₁₆ x 14 ³ / ₄
20800	★	Glazed	22 gauge, wire in rim	12 ⁵ / ₁₆ x 17 ¹ / ₄	11 ⁵ / ₈ x 16 ⁵ / ₈	1	3.3	12 ¹³ / ₁₆ x 17 ³ / ₄
20900	★	Glazed	22 gauge, wire in rim	9 x 12 ¹ / ₂	8 ⁵ / ₁₆ x 11 ¹³ / ₁₆	1	1.8	9 ¹ / ₂ x 13



Cookie Sheet Pans Aluminized steel

Item #	In Stock	Coating	Description	Baking Surface (in)		Weight Each (lb)	Overall Size (in)
				Overall	Thickness		
20100	★	Glazed	22 gauge	8 ⁵ / ₁₆ x 13	1 ¹ / ₁₆	1.7	9 ⁷ / ₈ x 14
20300	★	Glazed	22 gauge	12 ⁵ / ₁₆ x 13 ¹ / ₁₆	1 ¹ / ₁₆	2.3	13 ⁷ / ₈ x 14
20500	🇨🇦	Glazed	22 gauge	12 ⁵ / ₁₆ x 17	1 ¹ / ₁₆	2.7	13 ⁷ / ₈ x 18



Mini-Loaf Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25100	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 2	5.1	3 ⁷ / ₈ x 2 ¹ / ₂	3 ³ / ₈ x 2	1 ¹ / ₄	3 ³ / ₈	4 ¹ / ₂	2.0	11 ¹ / ₈ x 15 ³ / ₄



*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



USA PAN® Bakeware



New England Hot Dog Bun Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
22100	★	Glazed	26 gauge	1 row of 10	15 ¹ / ₁₆ x 4 ¹³ / ₁₆	1 ¹ / ₁₆ x 4 ¹ / ₈	5 ¹ / ₁₆	1.7	6 ¹ / ₂ x 15 ¹ / ₂ x 1 ⁷ / ₁₆



Popover Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26100	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	5.0	2 ³ / ₄	1 ⁷ / ₈	2 ⁷ / ₁₆	4 ¹ / ₄	4 ¹ / ₄	1.9	11 ¹ / ₈ x 15 ³ / ₄

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



6-Piece Bakeware Set Aluminized steel

Item #	In Stock	Coating	Description	Weight Each (lb)
21320	★	Glazed	22 gauge, 6-piece set (large cookie sheet, half sheet, rectangular cake, square cake, small bread, and 12-cup muffin)	12.4




Racks & Accessories



Egg Omelet Ring with Handle Carbon steel

Item #	In Stock	Coating	Description	Mould Dimensions, Top Inside (in)	Weight Each (lb)	Overall Size (in)
48002	★	Glazed	8" ring with 5" stainless steel wire handle	1 ⁷ / ₁₀	0.7	7 ⁷ / ₁₀



Sheet Pan Rack & Dollies Steel (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)
18112	🇨🇦	Plain	ETL 12-shelf aluminum knock-down rack, 5" spacing	42.0
40428	🇨🇦	Plain	Double width dolly truck for 20" x 25 ¹ / ₂ " strapped bread sets, 3" casters	15.0
40615	★	Plain	17" aluminum dolly for round pizza pans, 4" casters	4.45
42580	🇨🇦	Plain	Dolly truck for 17 ⁵ / ₈ " x 25 ⁵ / ₈ " sheet pans, 3" casters, dark green, can hold up to 800 pounds	16.0





Racks & Accessories



Z+ Racks Stainless steel

Item #	In Stock	Coating	Description	# of Shelves	Shelf Spacing (in)	Height (in)	Width (in)	Depth (in)
No Lift								
42680	★	Plain	Single rack	10	5 ⁷ / ₈	70 ⁵ / ₈	20 ¹ / ₄	26 ⁷ / ₈
42681	★	Plain	Single rack	15	4	70 ⁵ / ₈	20 ¹ / ₄	26 ⁷ / ₈
42683	★	Plain	Single rack	20	3	70 ⁵ / ₈	20 ¹ / ₄	26 ⁷ / ₈
42880	★	Plain	Double rack	10	5 ⁷ / ₈	70 ⁵ / ₈	28 ¹ / ₈	37 ⁷ / ₈
42881	★	Plain	Double rack	15	4	70 ⁵ / ₈	28 ¹ / ₈	37 ⁷ / ₈
42883	★	Plain	Double rack	20	3	70 ⁵ / ₈	28 ¹ / ₈	37 ⁷ / ₈
Type A Lift								
42685	★	Plain	Single rack	10	5 ⁷ / ₈	71 ¹ / ₂	20 ¹ / ₄	26 ⁷ / ₈
42687	★	Plain	Single rack	15	4	71 ¹ / ₂	20 ¹ / ₄	26 ⁷ / ₈
42689	★	Plain	Single rack	20	3	71 ¹ / ₂	20 ¹ / ₄	26 ⁷ / ₈
42885	★	Plain	Double rack	10	5 ⁷ / ₈	71 ¹ / ₂	28 ¹ / ₈	37 ⁷ / ₈
42887	★	Plain	Double rack	15	4	71 ¹ / ₂	28 ¹ / ₈	37 ⁷ / ₈
42889	★	Plain	Double rack	20	3	71 ¹ / ₂	28 ¹ / ₈	37 ⁷ / ₈
Type B Lift								
42780	★	Plain	Single rack	10	5 ⁵ / ₈	69 ⁵ / ₈	20 ¹ / ₄	26 ⁷ / ₈
42781	★	Plain	Single rack	15	3 ⁷ / ₈	69 ⁵ / ₈	20 ¹ / ₄	26 ⁷ / ₈
42783	★	Plain	Single rack	20	2 ⁷ / ₈	69 ⁵ / ₈	20 ¹ / ₄	26 ⁷ / ₈
42980	★	Plain	Double rack	10	5 ⁵ / ₈	69 ⁵ / ₈	28 ¹ / ₈	37 ⁷ / ₈
42981	★	Plain	Double rack	15	3 ⁷ / ₈	69 ⁵ / ₈	28 ¹ / ₈	37 ⁷ / ₈
42983	★	Plain	Double rack	20	2 ⁷ / ₈	69 ⁵ / ₈	28 ¹ / ₈	37 ⁷ / ₈
Type C Lift								
42785	★	Plain	Single rack	10	5 ⁷ / ₈	73	20 ¹ / ₄	26 ⁷ / ₈
42787	★	Plain	Single rack	15	4	73	20 ¹ / ₄	26 ⁷ / ₈
42789	★	Plain	Single rack	20	3	73	20 ¹ / ₄	26 ⁷ / ₈
42985	★	Plain	Double rack	10	5 ⁷ / ₈	73	28 ¹ / ₈	37 ⁷ / ₈
42987	★	Plain	Double rack	15	4	73	28 ¹ / ₈	37 ⁷ / ₈
42989	★	Plain	Double rack	20	3	73	28 ¹ / ₈	37 ⁷ / ₈



Type A Lift



Type B Lift



Type C Lift

Z+ Racks

Chicago Metallic's Z+ Racks are engineered to provide the benefits of a traditional z-rack plus features that increase rack strength, durability, and versatility. These stainless steel racks are stocked in various configurations or can be custom built to meet your operation's specific needs.



Manual Cake Filler & Replacement Parts Stainless steel

Item #	In Stock	Coating	Description	
10001	★	Plain	Manual Cake Filler, 5 quart capacity	(Right image)
10003	★	Plain	#3 Adjustment Pin, replacement part for #10001	
10004	★	Plain	#4 Handle, replacement part for #10001	
10005	★	Plain	#5 Nozzle, replacement part for #10001	
10006	★	Plain	#6 Piston Assembly, replacement part for #10001	
10007	★	Plain	#7 Split Roll Pin, replacement part for #10001	
10008	★	Plain	#8 Spring, replacement part for #10001	
10009	★	Plain	#9 Spring Bushing, replacement part for #10001	
10010	★	Plain	#10 Thumbscrew, replacement part for #10001	(Pictured together with #10011, below)
10011	★	Plain	#11 Wing Nut, replacement part for #10001	
10012	★	Plain	#5B Nozzle Nut, replacement part for #10001	



Product Index

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
10001	45	25100	16, 41	40807	9	40945	11	41435	39	42865	16
10003	45	25200	41	40808	8, 9	40946	11	41465	23	42880	44
10004	45	25400	41	40812	9	40947	11	41500	10	42881	44
10005	45	26100	42	40814	9	40948	11	41505	10	42883	44
10006	45	26500	19, 41	40817	9	40949	11	41509	38	42885	44
10007	45	30694	8	40846	12	40950	10	41555	10	42887	44
10008	45	30850	8	40850	10	40952	10, 31	41610	28, 39	42889	44
10009	45	40232	36	40851	12	40954	10, 31	41615	39	42980	44
10010	45	40237	36	40852	10	40955	10	41695	26	42981	44
10011	45	40406	37	40855	10	40960	8, 9	41800	10	42983	44
10012	45	40408	37	40857	12	40965	8, 9	41805	10	42985	44
10248	12	40409	37	40859	10	41002	20, 35	41852	10, 31	42987	44
10257	22	40410	37	40860	9	41005	20, 35	41854	10, 31	42989	44
10291	22	40411	22	40868	9	41006	20, 35	42304	22	43025	19
10317	10	40412	37	40911	11	41010	28, 39	42345	20, 35	43026	19
10367	24	40415	22	40912	11	41018	39	42415	21	43030	15
10369	24	40421	22	40913	11	41020	28, 39	42425	20, 35	43037	19
10392	23	40425	22	40915	11	41025	39	42435	21	43040	27
10396	23	40428	43	40916	11	41031	10	42445	20	43045	16
10424	23	40434	21	40917	11	41052	21	42465	21	43055	13, 36
10428	23	40450	10	40918	11	41053	21	42475	20, 35	43215	19
10430	23	40452	10, 31	40919	11	41055	21	42495	20, 35	43375	19
10450	21	40454	10, 31	40921	11	41065	22	42580	43	43385	16
10471	24	40455	10	40922	11	41110	38	42680	44	43395	16
16083	24	40491	22	40923	11	41145	24	42681	44	43515	19
18112	43	40495	22	40925	11	41210	28, 39	42683	44	43555	19
20100	41	40561	22	40926	11	41215	39	42685	44	43645	19
20300	41	40565	22	40927	11	41220	28, 39	42687	44	43695	19
20500	41	40575	38	40928	11	41225	39	42689	44	44065	23
20700	41	40600	10	40929	11	41230	39	42754	14	44145	23
20800	41	40605	10	40931	11	41235	39	42755	14	44215	19
20900	41	40615	43	40933	11	41320	39	42756	14	44235	23
21100	40	40694	8, 9	40935	11	41325	39	42780	44	44245	23
21300	40	40698	8, 9	40936	11	41400	28, 39	42781	44	44255	23
21320	42	40700	10	40938	11	41405	39	42783	44	44305	19
21500	40	40760	9	40939	11	41420	28, 39	42785	44	44365	24
22100	42	40769	9	40941	11	41425	39	42787	44	44405	24
23100	38, 41	40804	8, 9	40943	11	41430	39	42789	44	44515	19

Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #	Item #	Page #
44555	19	45265	19	46545	37	49110	22	91005	29	96310	32
44575	23	45285	19	46550	37	49115	22	91025	29	97002	34
44585	23	45295	14	46555	37	49120	31	91060	30	97004	34
44615	24	45305	19	46560	37	49123	31	91065	30	97006	34
44635	24	45355	19	46565	37	49128	31	91068	30	97008	34
44645	24	45435	19	46605	16	49140	31	91090	30	97010	34
44650	24	45445	19	46925	23	49143	31	91095	30	97012	34
44655	24	45505	25	46990	27	49145	23	91098	30	97014	34
44660	24	45515	25	46995	27	49148	31	91100	30	97016	34
44685	24	45525	15	47005	19	49152	28, 39	91105	30	97018	34
44690	8, 9, 12	45575	15	47020	28, 39	49155	39	91108	30	97020	34
44693	8, 9, 31	45605	15	47026	39	49160	31	91120	30	97022	34
44694	8, 9, 31	45635	23	47030	39	49163	31	91125	30	97024	34
44695	24	45642	23	47035	39	49168	31	91128	30	97026	34
44699	8, 9, 12	45645	19	47125	25	49330	39	91130	30	97028	34
44705	19	45655	23	47605	38	49335	39	91135	30	97030	34
44765	23	45725	16, 27	47645	38	49415	23	91138	30	97032	34
44792	12	45727	16, 27	48002	43	50136	37	91140	30	97034	34
44800	12	45755	16, 27	48020	28, 39	50624	37	91145	30	97036	34
44801	12	45990	27	48025	39	51060	40	91148	30	97038	34
44805	12	45995	27	48030	39	51065	40	91150	30	97040	34
44850	12	46020	28, 39	48035	39	51224	37	91155	30	97042	34
44891	8, 9, 12	46025	39	48050	28, 39	70817	12	91158	30	97044	34
44896	8, 9, 12	46030	39	48055	39	70817B	12	91160	30	97046	34
44945	23	46035	39	48105	38	70817S	12	91165	30	97048	34
44955	23	46120	15	48110	38	70821	11	91168	30	97050	34
45020	28, 39	46125	15	48514	26	70824	11	96010	32	97052	34
45025	39	46150	28, 39	49011	25	71300	20, 35	96030	32		
45030	39	46155	39	49014	27	71365	12	96110	32		
45031	22	46351	21	49015	27	71366	12	96130	32		
45035	39	46465	24	49020	28, 39	75010	29	96150	32		
45052	8	46500	37	49025	39	75012	29	96170	32		
45125	15	46505	37	49034	25	75140	29	96190	32		
45135	12	46520	15	49035	25	75145	29	96210	32		
45195	14	46525	15	49036	25	90525	29	96230	32		
45225	15	46530	37	49100	31	90800	29	96250	32		
45245	14	46535	37	49103	31	90825	29	96270	32		
45255	14	46540	37	49108	31	91000	29	96290	32		



Chicago Metallic

Commercial & Foodservice Bakeware

A BUNDY BAKING SOLUTION

Chicago Metallic USA

1502 North Central Avenue
Humboldt, Tennessee 38343-1798
Tel: 731.824.4130 | **Fax:** 731.784.5404
Toll-Free: 800.323.3966
customerservice@cmbakeware.com
cmbakeware.com | [in](#) [f](#) [@](#)

Chicago Metallic Canada

84 Easton Road
Brantford, Ontario N3P 1J5
Tel: 800.265.8445
Fax: 226.400.4035
customerservice@cmbakeware.ca
cmbakeware.ca | [in](#) [f](#) [@](#)

